<u>10th August 2014. Vol. 66 No.1</u>

 $\ensuremath{\mathbb{C}}$ 2005 - 2014 JATIT & LLS. All rights reserved $^{\cdot}$

ISSN: 1992-8645

www.jatit.org

MODEL ORDER REDUCTION OF INTERVAL SYSTEMS BY POLE CLUSTERING TECHNIQUE USING GA

¹V.G.PRATHEEP, ²DR. K.VENKATACHALAM, ³DR. K.RAMESH

¹ Assistant Professor, Department of Mechatronics Engineering, Kongu Engineering College, Perundurai, Tamil Nadu, India

² Professor, Department of Electronics and Communication Engineering, Velalar College of Engg. & Tech., Thindal, Tamil Nadu, India.

³ Assistant Professor, Department of Electrical and Electronics Communication Engineering, Vivekanandha College of Engg., Elayampalayam, Tamil Nadu, India.

E-mail: ¹ pratheep.vg@gmail.com, ² venki_kv@yahoo.com, ³ myresearch2010@yahoo.com

ABSTRACT

A mixed method is proposed for the order reduction of an interval system using pole clustering technique and simple mathematical manipulation process. kharitonov polynomial is employed in the interval system before the model order reduction technique is come into the approximation process. The pole clustering technique is used to obtain the reduced order denominator polynomial and the corresponding numerator polynomial is obtained through cross multiplication of transfer function polynomials. Genetic Algorithm is employed in the model order reduction process by which reduced order system parameters can be adjusted. The stability of the interval system is analyzed through the Routh-Hurwitz stability criterion.

Keywords: Pole Clustering, Integral Squared Error (ISE), Kharitonov Polynomial, Genetic Algorithm.

1. INTRODUCTION

The determination of the performance and stability of a system is the prime concern of control engineers. Classical control system techniques are used for system transfer function with fixed coefficients. Yet there is uncertainty in the parameters of a system. Such systems even though not treated as nonlinear systems, have limits in the upper and lower bounds in the parameters. Most practical systems, such as flight vehicles, electric motors, and robots, are formulated in continuoustime uncertain settings. The uncertainties in these systems arise from unmodelled dynamics, parameter variation, sensor noises, actuator constraints, etc. These variations do not follow any of the known probability distributions in general, and are most often quantified in terms of amplitude and/or frequency bounds. Hence, practical systems or plants are most suitably represented by continuous-time parametric interval models, instead of deterministic mathematical models.

The Routh-Hurwitz criterion, Nyquist criterion and root locus plot are some of the techniques used to study the system with parameter uncertainty. The characteristic equation or polynomial of such uncertain system becomes a family of characteristic polynomials and the study of stability in the presence of uncertainty has gained its own importance. The fundamental stability problem is to check whether all the polynomials due to plant uncertainty are Hurwitz table. This property is known as robust stability of parameter uncertain systems. Robust stability was largely ignored in the early years.

2. INTERVAL SYSTEM

The system with parametric uncertainty is called interval system. An interval polynomial is a polynomial, where each coefficient varies in a prescribed interval. The property of interval system satisfying the stability requirements is known as robust stability. Uncertainty in a system will be producing the following two adverse effects of degradation of system performance and loss of stability. By virtue of the cause that produces this uncertainty it can be divided as

- (i) Structured uncertainty
- (ii) Unstructured uncertainty

Structured uncertainty can be treated as the uncertainty, which arises from imperfect knowledge of system parameters. Unstructured type of uncertainty can be defined as the uncertainty in which the dynamics of the system in the higher frequency ranges is not incorporated in the system



<u>10th August 2014. Vol. 66 No.1</u>

 $\ensuremath{\mathbb{C}}$ 2005 - 2014 JATIT & LLS. All rights reserved $^{\cdot}$

model. Until 1980, no good theory was developed by scientists to study a system with parametric uncertainties.

However, in recent years there has been a huge increase in research involving real parametric uncertainty. A major reason for this is the crucial theorem of [12], which is in the Russian technical literature.

In many situations, it is also desirable to replace the high-order system by a lower order model. Typical methods for model reduction include aggregation method, moment matching technique, Pade approximation, and Routh approximation, etc. Recent developments of model reduction have been made towards the direction to handle uncertain interval systems based on variants of the Routh approximation methods, where interval arithmetic is performed to derive Routh α - β or γ - δ canonical continued-fraction expansion and inversion. This technique is employed in the methods proposed by [6], [4], [18] and [8]. It has been shown, however, that some interval Routh approximants may not be robustly stable even though the original interval system is robustly stable. The same case occurred in the methods subsequently proposed by [16]. Several methods are available for the model reduction of higher order systems. The pade approximation technique employed in [16] has simple features such as computational simplicity and fitting of time moments. A major disadvantage of this method is that it sometimes leads to an unstable reduced order model.

As far as model reduction of discrete interval systems is concerned, very limited discussions have been found in literature such as reduction methods discussed in [7], [2], [5], [3], [15], [8], [9], [11] and [19]. Among them, [7] proposed a method of model order reduction using Pade approximation to retain dominant poles, where the denominator of the reduced order model is formed by retaining the dominant poles of the given discrete interval system, while the numerator is obtained by matching the first r moments of the model with that of the system.

The feedback control system with uncertain parameters can be written as

$$P(s,q) = a_0(q) + a_1(q)s + a_2(q)s^2 + \dots + a_n(q)s^n$$
(1)

$$Q = \{q : q_i \in q_i, q_i, i=0, 1, 2 \dots n\}$$
(2)

The above equations indicate the box bounding the uncertain parameter vector q.

3. KHARITONOV POLYNOMIAL

The kharitonov theorem is an extension of the Routh stability criterion to interval polynomials. An interval polynomial is polynomial, where each coefficient varies at prescribed interval. The kharitonov theorem states that an interval polynomial family, which has an infinite number of members, is Hurwitz stable if and only if a finite small subset of four polynomials known as the kharitonov polynomial of the family are stable.

Consider a set of monic nth order polynomial of the form,

$$P(s) = a_n s^n + a_{n-1} s^{n-1} + \dots a_1 s + a_0$$
(3)

with all real coefficients. The polynomial P(s) is said to be Hurwitz stable if all of its zeros belong to left half of the s-plane. Let the coefficients are bounded between upper and lower limits as

$$a_i < a_i < a_i$$
, i = 0,1,2...n-1, where a_i represents

the lower limit and a_i represents the upper limit. The parameters associated with P(s) define an 'n' dimensional parameter space, where every point in the space represents the n coefficients of P(s). According to the Kharitonov theorem, the Hurwitz stability of just four polynomials selected from set 'N' guarantees stability of all polynomials belong to 'N' where N is the set of all polynomials whose coefficients belong to specified intervals.

The polynomial P(s) is split into two components g(s) and h(s) where, g(s) is polynomial of even degree and h(s) is polynomial of odd degree.

Defining two even polynomials,

$$K_{1}^{even,\min}(S) = g_{1}(s) = a_{0} + a_{2}s^{2} + a_{4}s^{4} + \dots$$
(4)

$$K_{1}^{e^{ven,\max}}(S) = g_{2}(s) = \bar{a_{0}} + a_{2}s^{2} + \bar{a_{4}}s^{4} + \dots$$
(5)

Defining two odd polynomials,

$$K_{1}^{odd,\min}(S) = h_{1}(s) = a_{1}s + a_{3}s^{3} + a_{5}s^{5} + \dots$$
(6)

$$K_{1}^{\text{add,max}}(S) = h_{2}(s) = \bar{a_{1}}s + \bar{a_{3}}s^{3} + \bar{a_{5}}s^{5} + \dots$$
(7)

The four Kharitonov polynomials would be

- $K_{11}(S) = g_1(s) + h_1(s) = a_0 + a_1 s + a_2 s^2 + a_3 s^3 + a_4 s^4 + a_5 s^5 + \dots$ (8)
- $K_{12}(S) = g_1(s) + h_2(s) = a_0 + a_1s + a_2s^2 + a_3s^3 + a_4s^4 + a_5s^5 + \dots$ (9)
- (10)

$$K_{21}(S) = g_2(s) + h_1(s) = a_0 + a_1 s + a_2 s^2 + a_3 s^3 + a_4 s^4 + a_5 s^5 + \dots$$

$$K_{22}(S) = g_2(s) + h_2(s) = \bar{a_0} + \bar{a_1}s + a_2s^2 + a_3s^3 + \bar{a_4}s^4 + \bar{a_5}s^5 + \dots$$
(11)

<u>10th August 2014. Vol. 66 No.1</u>

 G_r

© 2005 - 2014 JATIT & LLS. All rights reserved

www.jatit.org

The main drawback on application of Kharitonov theorem is that it cannot be applied to polynomials with affine linear uncertainty structures. For such systems, the generalized Kharitonov theorem provide solution. The edge theorem states that the whole family of polynomial is stable if and only if all the exposed edges of the polytopic family are stable.

4. PROBLEM STATEMENT

The mathematical representation of an interval system is given by,

$$G(s) = \frac{[a_{m-1}, a_{m-1}]s^{s^{n-1}} + [a_{m-2}, a_{m-2}]s^{s^{n-2}} + \dots + [a_1, a_1]s + [a_0, a_0]}{[b_{s_1}, b_{s_1}]s^{s_1} + [b_{m-1}, b_{m-1}]s^{s^{n-2}} + \dots + [b_1, b_1]s^{s_1} + [b_{m-2}, b_0]} = \frac{N(s)}{D(s)}$$

Where, $[a_i, a_i]$ for i=0 to n-1 and $[b_i, b_i]$ for i=0

to n are the interval parameters. By applying the proposed model order reduction techniques, the corresponding reduced order model is obtained as,

$$G_{r}(s) = \frac{\begin{bmatrix} d_{-0}, d_{0} \end{bmatrix} + \begin{bmatrix} d_{-1}, d_{1} \end{bmatrix} s + \dots + \begin{bmatrix} d_{-k-1}, d_{k-1} \end{bmatrix} s^{k-1}}{\begin{bmatrix} e_{-0}, e_{0} \end{bmatrix} + \begin{bmatrix} e_{-1}, e_{1} \end{bmatrix} s + \dots + \begin{bmatrix} e_{-k-1}, e_{k-1} \end{bmatrix} s^{k-1} + \begin{bmatrix} e_{-k}, e_{k} \end{bmatrix} s^{k}} = \frac{N_{r}(s)}{D_{r}(s)}$$
(13)

Instead of applying the Model Order Reduction (MOR) procedure to single interval system as a whole the system can be split up to 4 Kharitonov polynomials of the denominator and 4 Kharitonov polynomials of the numerator. After arriving at the reduced denominator and each denominator has 4 possible combinations of the numerator and for the 4 denominator functions totally 16 possible system models are obtained.

5. PROPOSED MOR METHOD

The proposed model order reduction method consists of three steps. In step1, the reduced order denominator polynomial is obtained through the improved pole clustering method and the corresponding numerator polynomial will be obtained through simple mathematical model in Step 2. In step3, reduced model system coefficients are adjusted using Genetic Algorithm.

Step1: Obtain the Reduced Order Denominator Polynomial

Let the transfer function of higher order transfer function be,

$$G(s) = \frac{a_0 + a_1 s + \dots a_{m-1} s^{m-1} + a_m s^m}{b_0 + b_1 s + \dots b_{m-1} s^{n-1} + a_m s^n}$$
(14)

and the corresponding reduced order model is in the form of

$$(s) = \frac{d_0 + d_1 s + \dots d_{q-1} s^{q-1} + d_q s^q}{e_0 + e_1 s + \dots e_{r-1} s^{r-1} + e_r s^r}$$
(15)

Where, n>r. Calculate the 'n' number of poles from the given higher order system denominator polynomial. The number of cluster centers to be calculated is equal to the order of the reduced system. The poles are distributed into the cluster center for the calculation such that none of the repeated poles present in the same cluster center. The minimum number of poles distributed per each cluster center is at least one. There is no limitation for the maximum number poles per cluster center. Let k number of poles be available in a cluster center: p₁, p₂, p₃. . . p_k. The poles are arranged in a manner such that $|p_1| |p_2| ... |p_k|$. The cluster centers are adjusted with the help of improved pole clustering technique as detailed in Ramesh et al. (2012) except that the pole clusters are calculated form their own position. i.e. the cluster center is calculated by using the formula as

$$Cc = [(-1/|p_1| + \sum_{i=2}^{k} -1/|p_i|) \div k]^{-1}$$
(16)

The reduced order denominator polynomial obtained through step1 is in the form of,

$$D_r(s) = e_0 + e_1 s + \dots e_{r-1} s^{r-1} + e_r s^r$$
(17)

To eliminate the steady state error the value of d_0 is obtained as follows.

$$\frac{a_0}{b_0} = \frac{d_0}{c_0}$$

$$\therefore d_0 = \frac{a_0}{b_0} \cdot c_0$$
(18)

Step 2: Determination of Numerator Polynomial

On equating and cross multiplying the transfer functions G(s) and Gr(s), (r+2) number of equations are obtained. On solving those equations remaining numerator polynomial unknown parameters can be calculated.

Equating the higher order and lower order system as,

$$\frac{a_0 + a_s + a_2 s^2 + \dots + a_{p,4} s^{p+1}}{b_0 + b_1 s + b_2 s^2 + \dots + b_{p,4} s^{p+1} + b_{p,8} s$$

$$\begin{array}{l} (a_0 + a_1 s + a_2 s^2 + \dots + a_{n-1} s^{n-1}) (e_0 + e_1 s + e_2 s^2 + \dots + e_{r-1} s^{r-1} + e_r s^r) \\ = (b_0 + b_1 s + b_2 s^2 + \dots + b_{n-1} s^{n-1} + b_n s^n) (d_0 + d_1 s + d_2 s^2 + \dots + d_{r-1} s^{r-1}) \end{array}$$

After cross multiplying the terms, the coefficients of same power of 's' on both sides of Equation (20) are equated and they are given by,

<u>10th August 2014. Vol. 66 No.1</u>

© 2005 - 2014 JATIT & LLS. All rights reserved

(21)

ISSN: 1992-8645	www.jatit.org	E-ISSN: 1817-3195

 $\begin{array}{c} a_{n-1} \cdot e_r = b_n \cdot d_{r-1} \\ a_{n-1} \cdot e_{r-1} + a_{n-2} \cdot e_r = b_{n-1} \cdot d_{r-1} + b_n \cdot d_{r-2} \\ \vdots \\ a_2 \cdot e_0 + a_1 \cdot e_1 + a_0 \cdot e_2 = b_0 \cdot d_2 + b_1 \cdot d_1 + b_2 \cdot d_0 \\ a_1 \cdot e_0 + a_0 \cdot e_0 = b_1 \cdot d_0 + b_0 \cdot d_1 \\ a_0 \cdot e_0 = b_0 \cdot d_0 \end{array}$

The (n+2) number equations in Equation (21) are solved with the values of d_0 , e_0 obtained by Equation (18). On solving for remaining differential equations the unknown parameters results in 'n' number of solutions. Based on the optimal ISE value, the appropriate values for the unknown parameters are selected to obtain the reduced order model as,

$$G_{r}(s) = \frac{d_{0} + d_{1}s + d_{2}s^{2} + \dots + d_{r-1}s^{r-1}}{e_{0} + e_{1}s + e_{2}s^{2} + \dots + e_{r-1}s^{r-1} + e_{r}s^{r}}$$
(22)

If r=2, then

$$G_2(s) = \frac{d_1 s + d_0}{e_2 s^2 + e_1 s + e_0}$$
(23)

Step 3: Parameter Tuning Using GA

The resultant reduced order model parameters are tuned by using the Genetic Algorithm (GA) as detailed in Ramesh et al. (2011). The reduced order (2^{nd} order) model obtained from the proposed method given in Equation (23) is modified into an initial form as,

$$G_{r_1}(s) = \frac{\frac{d_1}{e_2}s + \frac{d_0}{e_2}}{s^2 + \frac{e_1}{e_2}s + \frac{e_0}{e_2}} = \frac{A_1s + A_0}{s^2 + B_1s + B_0}$$

where,

$$A_0 = \frac{d_0}{e_2} = T_1, \ A_1 = \frac{d_1}{e_2} = T_2, \ B_0 = \frac{e_0}{e_2} \ and \ B_1 = \frac{e_1}{e_2}$$

The cumulative error index J using the integral square error of the unit step time responses of the given higher order system G(s) and the initial second order approximant $G_n(s)$ is calculated using the formula,

$$J = \sum_{t=0}^{N} [y(t) - y_{r}(t)]^{2}$$

or
$$J = \int_{0}^{t_{s}} [y(t) - y_{r}(t)]^{2} dt$$

Where, y(t) is the output response of the higher order system at the Nth instant of time, $y_r(t)$ is the output response of the second order model at the Nth instant of time and N is the time interval in seconds over which the error index is computed. The coefficients A₀, B₀ and B₁ are adjusted based the cumulative error index (J) using Genetic Algorithm (GA). The resultant reduced order model will closely match with the corresponding higher order model. In this article, the proposed MOR is applied to any four transfer functions in 16 possible system transfer functions with the help of Kharitinov polynomial. The interval limits of reduced order system transfer function are chosen from four reduced order system transfer functions obtained from the 16 groups. The stability of the interval system is analyzed with the help of Kharitonov polynomials through Routh-Hurwitz stability criterion. The validity of the proposed method for an interval system is investigated with the help of a numerical example.

6. NUMERICAL ILLUSTRATION

The 3rd order interval system stated in [20] is considered as

$$G(s) = \frac{[2,3]s^2 + [17.5,18.5]s + [15,16]}{[2,3]s^3 + [17,18]s^2 + [35,36]s + [20.5,21.5]}$$
(24)

The given interval system transfer function is in the form of

$$G(s) = \frac{[a_2, \bar{a}_2]s^2 + [a_1, \bar{a}_1]s + [a_0, \bar{a}_0]}{[b_1, \bar{b}_1]s^2 + [b_1, \bar{b}_1]s + [b_0, \bar{b}_1]s + [b_0, \bar{b}_0]} = \frac{N(s)}{D(s)}$$
(25)

For which, the reduced order interval system is to be derived in the form of

$$G_{2}(s) = \frac{[d_{1}, d_{1}]s + [d_{0}, d_{0}]}{[e_{2}, e_{2}]s^{2} + [e_{1}, e_{1}]s + [e_{0}, e_{0}]}$$
(26)

From Equation (24), the following values are noted down and are used to obtain the Kharitonov polynomials.

$a_0 = 15$	$\bar{a_0} = 16$
$a_1 = 17.5$	$\bar{a_1} = 18.5$
<i>a</i> ₂ = 2	$a_2 = 3$
$b_0 = 20.5$	$\bar{b_0} = 21.5$
$b_1 = 35$	$\bar{b_1} = 36$
$b_2 = 17$	$\bar{b_2} = 18$
$b_3 = 2$	$\bar{b_3} = 3$

The kharitonov polynomials are obtained separately for the higher order interval system's numerator and denominator polynomials.

<u>10th August 2014. Vol. 66 No.1</u>

 $\ensuremath{\mathbb{C}}$ 2005 - 2014 JATIT & LLS. All rights reserved $^{\cdot}$



6.1 Numerator Kharitonov Polynomials

Consider the numerator polynomial,

 $N(s) = [a_2, a_2]s^2 + [a_1, a_1]s + [a_0, a_0] = [2,3]s^2 + [17.5, 18.5]s + [15,16]$ (27)

The polynomial N(s) is split into two components g(s) and h(s) where, g(s) is polynomial of even degree and h(s) is polynomial of odd degree.

Defining two even polynomials,

$$K_1^{even,\min}(S) = g_1(s) = a_0 + a_2 s^2 = 15 + 3s^2$$
 (28)

$$K_1^{\text{even,max}}(S) = g_2(s) = \bar{a_0} + a_2 s^2 = 16 + 2s^2$$
 (29)

Defining two odd polynomials,

$$K_1^{odd,\min}(S) = h_1(s) = a_1 s = 17.5s$$
 (30)

$$K_1^{odd,\max}(S) = h_2(s) = a_1 s = 18.5s$$
 (31)

The four Kharitonov polynomials would be

- $N_1(s) = K_{11}(s) = g_1(s) + h_1(s) = a_0 + a_1 s + a_2 s^2 = 15 + 17.5s + 3s^2$ (32)
- $N_2(s) = K_{12}(s) = g_1(s) + h_2(s) = a_0 + a_1 s + a_2 s^2 = 15 + 18.5s + 3s^2$ (33)
- $N_{3}(s) = K_{21}(S) = g_{2}(s) + h_{1}(s) = a_{0} + a_{1}s + a_{2}s^{2} = 16 + 17.5s + 2s^{2}$ (34)
- $N_4(s) = K_{22}(S) = g_2(s) + h_2(s) = \bar{a_0} + \bar{a_1}s + a_2s^2 = 16 + 18.5s + 2s^2$ (35)

6.2 Denominator Kharitonov Polynomials

Consider the denominator polynomial,

$$D(s) = [b_3, \bar{b}_3]s^3 + [b_2, \bar{b}_2]s^2 + [b_1, \bar{b}_1]s + [b_0, \bar{b}_0]$$
(36)
= [2,3]s^3 + [17,18]s^2 + [35,36]s + [20.5,21.5]

The polynomial D(s) is split into two components g(s) and h(s) where, g(s) is polynomial of even degree and h(s) is polynomial of odd degree.

Defining two even polynomials,

$$K_1^{even,\min}(s) = g_1(s) = b_0 + \bar{b_2}s^2 = 20.5 + 18s^2$$
 (37)

$$K_1^{\text{even,max}}(s) = g_2(s) = \bar{b_0} + b_2 s^2 = 21.5 + 17s^2$$
 (38)

Defining two odd polynomials,

$$K_{1}^{odd,\min}(s) = h_{1}(s) = b_{1}s + b_{3}s^{3} = 35s + 3s^{3}$$
(39)

$$K_{1}^{odd,\max}(s) = h_{2}(s) = \bar{b_{1}}s + b_{3}s^{3} = 36s + 2s^{3}$$
(40)

The four Kharitonov polynomials would be

- $D_{1}(s) = K_{11}(s) = g_{1}(s) + h_{1}(s) = b_{0} + b_{1}s + b_{2}s^{2} + b_{3}s^{3} = 20.5 + 35s + 18s^{2} + 3s^{3}$ (41)
- $D_2(s) = K_{12}(s) = g_1(s) + h_2(s) = b_0 + \bar{b}_1 s + \bar{b}_2 s^2 + b_3 s^3 = 205 + 36s + 18s^2 + 2s^3$ (42)
- $D_{3}(s) = K_{21}(s) = g_{2}(s) + h_{1}(s) = \bar{b_{0}} + b_{1}s + b_{2}s^{2} + \bar{b_{3}}s^{3} = 21.5 + 35s + 17s^{2} + 3s^{3}$ (43)

 $D_4(s) = K_{22}(s) = g_2(s) + h_2(s) = \bar{b_0} + \bar{b_1}s + b_2s^2 + b_3s^3 = 21.5 + 36s + 17s^2 + 2s^3$ (44)

From the kharitonov polynomials available for numerator and denominator of higher order interval system, the following four interval system transfer functions may be obtained.

$$G_{1}(s) = \frac{N_{1}(s)}{D_{1}(s)} = \frac{a_{0} + a_{1}s + a_{2}s^{2}}{b_{1} + b_{1}s + b_{2}s^{2} + b_{1}s^{3}} = \frac{15 + 17.5s + 3s^{2}}{20.5 + 35s + 18s^{2} + 3s^{3}}$$
(45)

$$G_2(s) = \frac{N_2(s)}{D_2(s)} = \frac{a_0 + a_1 s + a_2 s^2}{b + b_1 s + b_1 s^2 + b_1 s^3} = \frac{15 + 18.5s + 3s^2}{20.5 + 36s + 18s^2 + 2s^3}$$
(46)

$$G_3(s) = \frac{N_3(s)}{D(s)} = \frac{a_0 + a_1 s + a_2 s^2}{a_0 + a_1 s + a_2 s^2} = \frac{16 + 17.5s + 2s^2}{215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 215 - 21$$

$$\begin{array}{ccc} D_3(s) & b_0 + b_1 s + b_2 s^2 + b_3 s^3 & 21.5 + 558 + 1/8 & +58 \\ \end{array}$$

$$G_4(s) = \frac{N_4(s)}{D_4(s)} = \frac{a_0 + a_1 s + a_2 s^2}{\bar{b_0 + b_1 s + b_2 s^2 + b_3 s^3}} = \frac{16 + 18.5s + 2s^2}{21.5 + 36s + 17s^2 + 2s^3}$$

6.3 Order reduction of $G_1(s)$, $G_2(s)$, $G_3(s)$ and $G_4(s)$

The proposed model order reduction method is applied for the system interval functions $G_1(s)$, $G_2(s)$, $G_3(s)$ and $G_4(s)$. From their corresponding reduced order interval systems, the reduced order interval systems of given higher order system can be constituted. By applying the proposed model order reduction technique, the following reduced order models are obtained.

$$G_{r1}(s) = \frac{d_1 s + d_0}{\frac{1}{e_r s^2 + e_r s + e_r}} = \frac{1.5636s + 1.9756}{s^2 + 3.5975s + 2.7}$$
(49)

$$G_{r_2}(s) = \frac{\bar{d}_1 s + d_0}{\bar{e}_s s^2 + \bar{e}_s s + e_s} = \frac{1.344s + 1.4415}{s^2 + 2.8878s + 1.97}$$
(50)

$$s) = \frac{d_1 s + d_0}{s^2 + s + s + s} = \frac{1.6315s + 2.0435}{s^2 + 3.662s + 2.7459}$$
(51)

$$G_{r_4}(s) = \frac{\bar{d_1}s + \bar{d_0}}{e_5 s^2 + e_7 s + e_8} = \frac{1.5087s + 1.7079}{s^2 + 3.2162s + 2.295}$$
(52)

From the reduced order system transfer functions available in Equations (49)-(52), the following conditions are obtained.

$$d_{0} = \min\{1.4415, 1.9756\} = 1.4415$$
$$d_{1} = \min\{1.5636, 1.6315\} = 1.5636$$
$$e_{0} = \min\{1.97, 2.7\} = 1.97$$
$$e_{1} = \min\{3.5975, 3.662\} = 3.5975$$

(**a** a)

 G_{r3}

<u>10th August 2014. Vol. 66 No.1</u> © 2005 - 2014 JATIT & LLS. All rights reserved[.]

www.jatit.org

(52)

ISSN: 1992-8645

$$e_{2} = \min\{3.662, 3.2162\} = 3.2162$$

$$\bar{d_{0}} = \max\{2.0435, 1.7079\} = 2.0435$$

$$\bar{d_{1}} = \max\{1.344, 1.5087\} = 1.5087$$

$$\bar{e_{0}} = \max\{2.7459, 2.295\} = 2.295$$

$$\bar{e_{1}} = \max\{2.8878, 3.2162\} = 3.2162$$

 $e_2 = \max\{1, 1\} = 1$

From the above resulting values, the reduced order interval system transfer function can be obtained as,

$$G_2(s) = \frac{[d_1, d_1]s + [d_0, d_0]}{[e_2, e_2]s^2 + [e_1, e_1]s + [e_0, e_0]} = \frac{[1.5087, 1.5636]s + [1.4415, 2.0435]}{[1, 1]s^2 + [3.21623, 5975]s + [1.97, 2.7459]}$$

By using GA, the reduced order model is updated with respect to an ISE as,

$$G_{2}(s) = \frac{[d_{1}, d_{1}]s + [d_{0}, \bar{d}_{0}]}{[e_{2}, \bar{e}_{2}]s^{2} + [e_{1}, \bar{e}_{1}]s + [e_{0}, \bar{e}_{0}]} = \frac{[1.50871.5634s + [1.49962.1872]}{[1,1]s^{2} + [3.13153.5274s + [2.04582.937]}$$
(5.3)

The change in error rate for the lower limit and upper limit transfer functions of an interval system are shown in Figure 1 and 2 respectively. The unit step responses of higher order interval system and reduced order interval system are shown in Figure 3.

The closeness between the higher order model and reduced order lower limit system is analyzed with the help of ISE value and is listed in Table 1.

7. STABILITY ANALYSIS OF INTERVAL SYSTEM

The Kharitonov theorem states that the stability of a polynomial can be determined by testing just the four Kharitonov polynomials which are obtained by using upper and lower bounds of the unknown parameters. The Kharitonov theorem is based on Mikhailov criterion which states that for a control system to be stable if it is necessary and sufficient that the locus of its characteristic equation of order 'n' starts on for s=j ω and move successfully in the counter clockwise direction through 'n' quadrants as ω increases from 0 to ∞ .

The value set of an interval polynomial at a fixed frequency is a rectangle called Kharitonov triangle whose sides are parallel to the real and imaginary axes. The inclusion or exclusion of the origin from this rectangle value set can be known easily from the corner points, which corresponds to the Kharitonov polynomials. The movement of Mikhailov loci of $K_{11}(s)$, $K_{12}(s)$, $K_{21}(s)$ and $K_{22}(s)$

should not include its origin in the value sets and it is possible to find minimum gain and phase margins of an interval plant from a subset of fixed transfer function.

The stability of an interval system also can be determined by applying the Routh-Hurwitz criterion to the selected Kharitonov polynomials of given interval system. If the elements in the first column of the Routh array are positive then the interval system is stable, otherwise not. The nth order interval system is considered as,

$$G(s) = \frac{[a_{n-1}, a_{n-1}]s^{n-1} + [a_{n-2}, a_{n-2}]s^{n-2} + \dots + [a_{1}, a_{1}]s + [a_{0}, a_{0}]}{[b_{n}, b_{n}]s^{n} + [b_{n-1}, b_{n-1}]s^{n-1} + [b_{n-2}, b_{n-2}]s^{n-2} + \dots + [b_{1}, b_{1}]s + [b_{0}, b_{0}]}$$

The characteristic equation of the system 1+G(s)=0 is obtained as,

$$1 + \frac{[a_{n-1}, \bar{a}_{n-1}]s^{n-1} + [a_{n-2}, \bar{a}_{n-2}]s^{n-2} + \dots + [a_{1}, \bar{a}_{1}]s + [a_{0}, \bar{a}_{0}]}{[b_{n}, \bar{b}_{n}]s^{n} + [b_{n-1}, \bar{b}_{n-1}]s^{n-1} + [b_{n-2}, \bar{b}_{n-2}]s^{n-2} + \dots + [b_{1}, \bar{b}_{1}]s + [b_{0}, \bar{b}_{0}]} = 0$$

which results in the polynomial,

$$P(s) = [q_{n}, \bar{q}_{n}]s^{s} + [q_{n-1}, \bar{q}_{n-1}]s^{s-1} + [q_{n-2}, \bar{q}_{n-2}]s^{s-2} + \dots + [q_{1}, \bar{q}_{1}]s + [q_{0}, \bar{q}_{0}]$$
(55)

Consider the 3^{rd} order interval system stated in Equation (24),

$$G(s) = \frac{[2,3]s^2 + [17.5,18.5]s + [15,16]}{[2,3]s^3 + [17,18]s^2 + [35,36]s + [20.5,21.5]}$$

The corresponding characteristic polynomial P(s) is obtained as,

$$1 + \frac{[2,3]s^2 + [17.5,18.5]s + [15,16]}{[2,3]s^3 + [17,18]s^2 + [35,36]s + [20.5,21.5]} = 0$$

$$P(s) = [2,3]s^3 + [19,21]s^2 + [52.5,54.5]s + [35.5,37.5]$$
(56)

Routh-Hurwitz criterion is easily used to check the stability of a simple polynomial which becomes difficult to apply to families of polynomials because it gives nonlinear equations with the unknown parameters. The polynomial P(s) is Hurwitz stable, if and only if the following polynomials are Hurwitz stable according to the Kharitonov theorem. The Kharitonov polynomials of polynomial obtained in Equation (56) are,

- $K_{11}(S) = g_1(s) + h_1(s) = 3s^3 + 21s^2 + 52.5s + 35.5$ (57)
- $K_{12}(S) = g_1(s) + h_2(s) = 2s^3 + 21s^2 + 54.5s + 35.5$ (58) $K_{21}(S) = g_2(s) + h_1(s) = 3s^3 + 19s^2 + 52.5s + 37.5$ (59)
- $K_{22}(S) = g_2(s) + h_2(s) = 2s^3 + 19s^2 + 54.5s + 37.5$ (60)



(5.4)

<u>10th August 2014. Vol. 66 No.1</u> © 2005 - 2014 JATIT & LLS. All rights reserved

These polynomials are called Kharitonov polynomials. The nominal polynomial is the polynomial with coefficients at the midpoint of the interval and is given by,

$$K(S) = 2.5s^3 + 20s^2 + 53.5s + 36.5 \tag{61}$$

The stability of the above nominal system is determined by applying the Routh-Hurwitz criterion and is depicted in Table 2. Since there is no sign change in the first column of Routh array, there are no roots in the right half of the s-plane. Hence, the system is stable. For each of the four polynomials stated in Equations (32) to (35), Routh array can be obtained and there is no sign change in the elements of first column of the array. This indicates that the given interval system is stable. The same procedure may be repeated to check the stability of reduced order model.

Consider the reduced order system transfer function obtained in Equation (53) as,

$$G_2(s) = \frac{[d_1, d_1]s + [d_0, d_0]}{[e_2, e_2]s^2 + [e_1, e_1]s + [e_0, e_0]} = \frac{[1.5087, 1.5636]s + [1.4996, 2.1872]}{[1,1]s^2 + [3.1315, 3.5274]s + [2.0458, 2.937]}$$

The corresponding characteristic equation is obtained as,

$$1 + \frac{[1.5087, 1.5636]s + [1.4996, 2.1872]}{[1,1]s^2 + [3.1315, 3.5274]s + [2.0458, 2.937]} = 0$$

 $P(s) = [1,1]s^2 + [4.6402,5.091]s + [3.5454,5.1242] = 0$ The correponding midpoint reduced order

polynomial is obtained as,

$$s^2 + 4.8656s + 4.3348 = 0 \tag{62}$$

The Routh-Hurwitz table for the above characteristic equation is given in Table 3. In this table, there is no sign change in the elements of first column of the array. This indicates the reduced order system is stable. In a similar fashion, the stability can be analyzed for remaining three possible groups of kharitonov polynomial transfer functions. Thus the reduced order interval systems obtained through the proposed model order reduction methods are stable.

8. CONCLUSION

The unit step response of original interval system and reduced order interval system using proposed method were plotted for different illustrations. The step responses of the original and reduced order model interval systems are closer to each other. Hence, depending upon the closeness of approximation desired, the order of reduction in modeling is chosen. The proposed methods are versatile and simple. The time response pattern is excellently preserved in reduced order systems even for lower order approximations. The simulation results show the flexibility of extending the proposed scenarios to the reduction of interval systems.

REFRENCES:

- Ahagnost, J. J., Desoer, C. A. and Minnichelli, R. J. "An elementary proof of Kharitonov's stability theory with extensions", *IEEE Trans. Auto. Control*, Vol. 34, pp. 995-998, 1989.
- [2] Ali Zilouchian and Dali Wang, "Model reduction of discrete linear systems via frequency domain balanced structure", in *Proc. Amer. Control Conference*, Philadelphia, USA, Vol. 1, pp.162 – 166, 1998.
- [3] Aly, M. N. and Sebakhy, O. A. "Discrete-time model reduction with optimal zero locations by norm minimization", *Proc. IEEE Int. Conf. Control Appl.*, Trieste Italy, Vol. 2, pp. 812-816, 1998.
- [4] Avinash Upadhye, Bandyopadhyay, A. and Ismail, O. "γ-δ Routh approximation for interval systems", *IEEE Trans. Auto. Control*, Vol. 42, No. 8, pp.1127-1130, 1997.
- [5] Azou, S., Brehonnet, P., Calvez, L. C. and Vilbe, P. "A new discrete impulse response Gramian and its application to model reduction", *IEEE Trans. Auto. Control*, Vol. 45, No. 3, pp. 533-537, 2000.
- [6] Bandyopadhyay, B., Gorez, R. and Ismail, O. "Routh-Pade Approximation for Interval Systems", *IEEE Trans. on Auto. Control*, Vol. 39, pp. 2454-2456, 1994.
- [7] Bandyopadhyay, B., Gorez, R. and Ismail, O. "Discrete interval system reduction using Pade approximation to allow retention of dominant poles", *IEEE Trans. on Cir. Sys.*, Vol. 44, No. 11, pp. 1075-1078, 1997.
- [8] Dolgin, Y. and Zeheb, E. "On Routh-Pade model reduction of interval systems", *IEEE Trans. Auto. Cont.*, Vol. 48, No. 9, pp. 1610-1612, 2003.
- [9] Do Chang Oh and Hong Bae Park, "Discrete Model Reduction Preserving Bounded Realness", *Automatica*, Vol. 33, No. 4, pp. 721-724, 1997.
- [10] Ismail, O., Bandyopadhyay, B. and Gorez, R. "Discrete interval system reduction using Pade approximation to allow retention of dominant

Journal of Theoretical and Applied Information Technology <u>10th August 2014. Vol. 66 No.1</u>

© 2005 - 2014 JATTI &	
ISSN: 1992-8645 <u>www.jati</u>	t.org E-ISSN: 1817-3195
 poles", <i>IEEE Trans. on Cir. Sys.</i>, Vol. 44, No. 11, pp. 1075-1078, 1997. [11] Jayanta Pal and Somnath Pan, "Reduced order modelling of discrete-time systems", <i>J. Appl. Math. Model.</i>, Vol. 19, No. 3, pp. 133-138, 1995. 	[22] Ramesh K., Nirmalkumar A. and Gurusamy G., "Order reduction of linear systems with an improved pole clustering", <i>Journal of</i> <i>Vibration and Control</i> , Vol. 18, No. 12, pp. 1876-1885, 2012.
[12] Kharitonov, V. L. "Asymptotic stability of an equilibrium position of a family of systems of linear differential equations", J. diff. Equ., Vol.14, pp. 1483-1485, 1978.	
[13] Kranthikumar, D., Nagar, S. K. and Tiwari, J. P. "Model order reduction of Interval systems using Mihailov Criterion and Factor Division method", <i>Int. J. of Comp. Appl.</i> , Vol. 28, No.11, pp. 4-8, 2011.	
[14] Kranthikumar, D., Nagar, S. K. and Tiwari, J. P. "Model order reduction of Interval systems using Mihailov Criterion and Cauer Second Form", <i>Int. J. of Comp. Appl.</i> , Vol. 32, No.6, pp. 17-21, October 2011.	
[15] Lim, A. G., Sreeram, V. and Zeheb, E. "A technique for reduction of uncertain FIR filters", <i>Proc. of the 2003 International</i> <i>Symposium on Circuits and Systems</i> , Vol. 4, pp. 656-659, 2003.	
[16] Lucas, T. N. "Continued Fraction Algorithm for Biased Model Reduction", 9th Elec. Lett., Vol. 19, No. 2, pp. 444-445, 1983.	
 [17] Lucas, T. N. "Efficient Algorithm for Reduction by Continued Fraction Expansion about S=0 & S=A", <i>Elec. Lett.</i>, Vol. 19, No. 23, pp. 991-993, 1983. 	
[18] Mallikarjuna Rao, P., Raja Rao, R. and Sastry, G. V. K. R. "Large scale interval system modelling using Routh approximants", <i>Elec.</i> <i>Lett.</i> , Vol. 36, No. 8, pp.768-769, 2000.	
[19] Mittal, R. C., Mukherjee, S. and Satakshi, "Discrete system order reduction using multipoint step response matching", <i>J. Comp.</i> <i>Appl. Maths.</i> , Vol. 170, No. 2, pp. 461-466, 2004.	
[20] Rajeswari Mariappan, "Certain Investigations on Model reduction and stability of Interval systems", <i>Ph.D. thesis</i> , Bharathiyar University, Coimbatore, 2004.	
[21] Ramesh K., Nirmalkumar A. and Gurusamy G., "Order Reduction of LTIV Continuous MIMO system using Stablity Preserving Approximation method", <i>International Journal of Computer Applications</i> , Vol. 36, No. 8, pp. 1-8, 2011.	

Journal of Theoretical and Applied Information Technology 10th August 2014. Vol. 66 No.1





Figure 1: Change in Error Rate of Lower Limit Interval System in GA Tuning Process

8 10 12 number of Iterations

14 16 18 20

4.26

4.24

0 2 4 6



Figure 2: Change in Error Rate of Upper Limit Interval System in GA Tuning Process



Figure 3: Step Responses of Higher Order and Reduced Order Interval Systems

Journal of Theoretical and Applied Information Technology <u>10th August 2014. Vol. 66 No.1</u>

© 2005 - 2014 JATIT & LLS. All rights reserved.

ISSN: 1992-8645

www.jatit.org

E-ISSN: 1817-3195

Table 1: Comparison of error index values with existing methods for Example 1

Reduction Method	ISE	
Reduction Method	Lower limit	Upper limit
Rajeswari Mariappan (2004)	0.4132	0.5825
Sastry G.V.K. et al (2000)	0.2256	0.0095
Kranthikumar et al (2011)	0.0124	0.0169
Kranthikumar et al (2011 a)	0.0089	0.0113
Proposed method	0.0004248	0.000146

Table 2: Routh-Hurwitz	table for n	10minal Kharitonov	Polynomial
			~

S^3	2.5	53.5
S^2	20	36.5
S^1	48.9375	0
S^0	36.5	

Table 3 Routh-Hurwitz table for reduced order system

S^2	1	4.3348
S^1	4.8656	0
S^0	4.3348	